Echidna Food

| WOMBAROO |
|--------------|
| |
| ECHIDNA FOOD |

| Echidna Food | | | | | |
|----------------------------------|--|--|--|--|--|
| A complete diet for echidna | | | | | |
| and other ant/termite | | | | | |
| specialists. Full range of | | | | | |
| vitamins, minerals and | | | | | |
| essential nutrients in line with | | | | | |
| composition of termites. High | | | | | |
| in fibre to improve gut health | | | | | |
| and faecal consistency. | | | | | |
| Pack size: 1kg, 5kg, 20kg. | | | | | |

| | Analysis | | | | | | |
|---|-------------|---------|--|--|--|--|--|
| 1 | Protein | 30% | | | | | |
| | Fat | 10% | | | | | |
| | Crude Fibre | 20% | | | | | |
| | Energy | 14MJ/kg | | | | | |

Directions for Use

Mix 40g of powder (approx. 5 scoops) with 120mL warm water to form a liquid slurry.

For captive echidna on an existing diet, transition on to **Wombaroo Echidna Food** by gradually replacing the old diet by 10-20% per day. For weaning hand-reared puggles, start by mixing small amounts of Echidna Food in with milk replacer. Over the next month, slowly increase the amount of Echidna Food, while decreasing the proportion of milk replacer until fully weaned.

Gut health of echidnas may benefit from the regular addition of termites and crushed termite mound to the diet. Prepare Echidna Food as per directions and mix with about 10% crushed termite mound and some live termites.

Maintenance Feed Guide

| Weight (kg) | g/d (powder) | Weight (kg) | g/d (powder) | Weight (kg) | g/d (powder) |
|----------------|-----------------|----------------|-----------------|----------------|-----------------|
| 0.5 | 10 | 3.0 | 35 | 6.0 | 60 |
| 1.0 | 15 | 4.0 | 40 | 7.0 | 65 |
| 2.0 | 25 | 5.0 | 50 | 8.0 | 70 |

Feed rates are estimates only and may vary considerably between individuals. Weigh animals regularly and adjust feed amount to achieve a healthy body weight and condition. For breeding animals & growing juveniles requirements may be 2-4 times maintenance. For species other than echidna, adjust feed rates according to metabolic rate.